INTERCONNECTION IN ALBANIA

The Albanian Neutral IXP

Daniele Arena – NaMeX




	CENTRE		IPE Database (Whois) Website earch the content of this website	c
lanage IPs and ASNs >	Analyse	> Participate >	Get Support > Public	ations > About Us
You are here: Home > Analyse > Inte	rnet Measurements > RIF	PE Atlas		
RIPE Atlas	« We	lcome to RIPE Atlas!		Statistics
About RIPE Atlas	> With	n your help, the RIPE NCC is building	and the second sec	Probes connected 10300
Get Involved	> the	largest Internet measurement		Anchors connected 293
Probes and Anchors	· · · · · · · · · · · · · · · · · · ·	work ever made. RIPE Atlas employs a bal network of probes that measure		Anchors connected 293
Measurements, Maps and Tools	> Inte	rnet connectivity and reachability,		Measurements running 17224
Resources		viding an unprecedented erstanding of the state of the		Results per second 5289
	in w	ady a RIPE Atlas user? Log lith your RIPE NCC Access uunt.	Find out how RIPE Atlas can help you monitor your network, troubleshoot issues, analyse DNS infrastructure, test IPv6 connectivity and	IPELOCATION [®] Become a Sponsor
	Acc with Atla and	ps and Tools ess Internet maps created RIPE Atlas data, RIPE s measurement results, tools to access and olay RIPE Atlas data.	Latest on RIPE Labs Get the latest news, updates, research and results relating to RIPE Atlas on RIPE Labs, the RIPE NCC's platform for showcasing new ideas and developments from the	



- Tirana to Tirana
- Traceroute:
 - London
 - Amsterdam
 - Hamburg
 - Prague
 - Bratislava
 - Budapest
 - Belgrade
 - Podgorica
- RTT: 74.0 ms





(Made with RIPE Atlas)

- Tirana to Tirana
- Traceroute:
 - Milan
 - Geneva
 - Paris
 - London
 - Copenhagen
 - Stockholm
 - Frankfurt
 - Back to Milan
- RTT: 137.4 ms





(Made with RIPE Atlas)


- Prishtina to Tirana
- Traceroute:
 - Ljubljana
 - Sofia
 - Catania
- RTT: 54.1 ms





(Made with RIPE Atlas)

A map of traceroutes between Atlas probes in Albania (courtesy ixp-country-jedi)





Albanian ISP/Internet Situation


- Albania is an ISP-rich environment: 53 ASNs
 - Comparison: 38 MK, 15 ME, 143 GR, 152 RS
 - 782 IPv4 Routes
 - 40 IPv6 Routes
- 42 ASNs with basic interconnection
 - i.e. 3 IPv4 "adjacencies" (i.e. peerings + transits) or less
 - 79% of total
 - Only 6 with 7+ adjacencies (i.e. "active" peering)
- Content
 - About 17,500 .al domains registered



(Sources: HE, DomainTools)

Top Websites for Albania: Alexa Top-50


How many of those are hosted in Albania?





Top Websites for Albania: Alexa Top-50

• Where are they hosted?






Websites for Albanian ISPs

Where is your own website hosted?

ROMA Internet eXchange Point



Even when the content is local...

AKSHI





NAMEX ROMA Internet eXchange Point


Why is Albanian content hosted abroad?





How do we get foreign content?


• OVH






How do we get foreign content?

Cloudflare





How do we get foreign content?






When the content flies away...






Get the business back!



The vicious circle of "no-peering"





ROMA Internet eXchange Point

The virtuous circle of peering





ROMA Internet eXchange Point

How to interconnect in Albania?

- Private interconnects
 - They exist among larger ISPs
 - Not too efficient / scalable
 - Every single interconnection can be expensive
 - One party has to agree to reach the other party in its premises
- One existing "IXP": ALB-IX
 - A service of ALBtelecom
 - 8 customers
 - Main drawback: lack of trust of ISPs in the incumbent
 - Competitor, non-neutral



A new, neutral IXP in Albania: ANIX

- We are building a neutral IXP in Tirana
 - Management: RASH supported by NaMeX
 - Guaranteed neutrality & experience
 - "Member-based": Involvement of ISPs in main decisions
 - An opportunity to efficiently set up interconnections
 - Peer with each other's networks in a centralized (and central) location
 - A neutral colocation where foreign CDNs and OTTs can be hosted
 - Equipment: donated by NaMeX
 - Location: RASH Data Center





Data Center: Location

Rruga e Durrësit, next to school «Qemal Stafa»





Data Center Features



- Two separate rooms already structured
 - Server / IXP room
 - Carrier / meet-me room
- N+1 UPS
- Generator
- On-site network engineers
- ATU fiber delivered on-site
- Possibility of other fiber access
 - Location close to main metropolitan fiber networks
 - Possibility of separate fiber access from rear street (Mine Peza)



IXP Infrastructure

- AS number (AS205140) and PI space (185.1.100.0/24) allocated by RIPE NCC
- Core switch: Cisco 6503-E
 - 48 ports 10/100/1000 RJ45
 - 8 ports 1G single-mode
 - 2 ports 10G





How to join


- Have AS Number and IP addresses obtained from RIR (e.g. RIPE NCC)
- Follow ANIX Technical Regulations
- Bring router or point-to-point connection to RASH data center
- Free until June 2018!
- Afterwards, the IXP should be sustained by members' fees
 - The final fees will be agreed with members



Our goals

- Keep local traffic local
 - Stop long traces and high RTTs!
 - Promote locally hosted content
- Be a catalyst for the development of an ISP community in Albania
 - Neutral IXP
 - Network Operators Group
- The core switch is up & running, we are waiting for you to connect!
- Send an e-mail to <u>d.arena@namex.it</u>





Q&A

Daniele Arena – <u>d.arena@namex.it</u>

